KF-1900C 19"Countertop Information Kiosk





FEATURES






• The multi-point infrared touch technology support powerful interactive features and applications are wider.



• Designed with two - channel speakers



• Holes for heat dissipation



• For additional ports can be customized

APPLICATIONS











SPECIFICATIONS



OS Support	WIN 10 (trial version)		Android 7.1	
CPU	Intel Celeron J1900 qual-core 2.0G		RK3288 Cortex-A17 quad-core 1.8GHz	
System Memory	4G		2G/4G	
Disk	64G/128G/256G(SSD)		8G/16G/32G/64G	
Speaker	5W*2		5W*2	
Interface	USB*4/RJ45*1		USB*2/RJ45*1	
Network	Ethernet/WIFI			
Touch screen				
Туре	Projective Capacitive Touch (10 points)	Response time		10ms
LCD				
Туре	TFT-LCD	Contrast Ratio		1000:1
Screen size	19"	Response time		5ms
Max Resolution	1280x1024	Viewing angle		H178° V178°
Aspect Ratio	5:4	Display Colors		16.7M
Brightness	250cd/m²	Refresh Rate		60Hz
Panel Life	30000 hours			
Power				
Voltage	100-240VAC,50/60Hz	Power Consumption		<40W
Enclosure				
Material	SPCC	Surface		Powder coated
Overall size	L440 x W242 x H428mm	Color		White, black or customized
Net weight	13.8kg			
Application				
Working temperature	0~40°C	Storage temperature		-20∼60°C
Working humidity	20%~80%	Storage humidity		10%~90%
Application	indoor			

Assembly & Installation

Operating Instructions



- Place ordering kiosk at desired location.
- Connect the power cord and the internet cable.
- Press the starting button for booting.
- Install the multimedia playing terminal software, set the network parameters. Mark:Support timer switch,remote

shutdown and wake on LAN.

Packing List



Product



Power Cord



User Manual