

# LD-9022W



## Bigger Screen Bigger Possibility

Use it as a 2nd screen or a digital signage,  
transaction details and marketing campaign message are  
beautifully delivered!



## Specifications



### Display

- 21.5" TFT , 1920 x 1080



### Touch

- True-Flat PCAP
- Optional:  
Hovering Touch (Support  
additional 3mm max glass)  
AG Coating



### Brightness

- 250 nits



### MTBF

- 70K Hours



### Speaker

- 2 x 2W Internal Speaker



### Power

- 12V/48W External Switching  
Power Adapter



### Mounting

- Standalone
- Arm Type
- Pole Type
- VESA 100 x 100 mm



### Certification

- FCC / CE Class B



## Appearance

- Aluminum Die-Casting + Plastic
- Galaxy Grey



## Temperature

- Operation: 0 °C ~ 40 °C (32 °F ~ 104 °F)
- Storage: -20 °C ~ 60 °C (-4 °F ~ 140 °F)



## Dimensions (W x H x D)

- Product: 512.30 x 308.92 x 39.22 mm
- Carton: 662 x 210 x 440 mm



## Weight

- Display Only (Net): 3.5 Kg
- Display Only (Gross): 4.5 Kg



## Port

- AD board Version:
  - 1 x HDMI
  - 1 x VGA
  - 1 x USB 2.0 Type B
  - 1 x DC-in 12V
  - 1 x Line-in
  - 1 x RJ11



## Optional

- Optional External OSD Keypad



**Inter-Register Communication (M) Sdn. Bhd.** [ 198701004225 (162895-K) ]

34, Jalan Tanjung SD 13/1, Bdr Sri Damansara, 52200 Kuala Lumpur.

**Tel:** (6)03-6272 8000 (8 Line)

**Homepage:** [www.irc.com.my](http://www.irc.com.my)

**Sales Person:** (6) 019-337 4781 - Alex Wong

**E-mail:** [general@irc.com.my](mailto:general@irc.com.my)