

# **XM-3010W**




The FEC new generation product – Xmonitor 3000 Series, which redesigned for XPPC, provides docking type and Arm type for easy connect.





# Specifications



## Display

- 10.1" TFT , 1280 x 800



## Brightness

- 400 nits



## Speaker

- 2 x 2W Internal Speaker



## Touch

- Non-Touch
- True-Flat PCAP



## MTBF

- 30K Hours



## Power

- DP Version:  
12V DC-in
- Smart DD Version:  
20V DC (Power from Smart DD)
- AD Board Version:  
12V DC (Power from VGA, USB  
DP)



## Mounting

- Docking Type
- Arm Type
- VESA 75 x 75 mm



## Certification

- FCC / CE Class B



## Appearance

- Plastic + ABS
- Galaxy Grey



## Temperature

- Operation: 0 °C ~ 40 °C (32 °F ~  
104 °F)
- Storage: -20 °C ~ 60 °C (-4 °F ~  
140 °F)



## Dimensions (W x H x D)

- Product: 260 x 178 x 30 mm
- Carton: 313 x 208 x 108 mm



## Weight

- Display Net 0.8 kg
- Display Gross 1.3 kg



## Port

- Smart DD Version:
  - 1 x Smart DD in
  - 1 x Smart DD out
- AD Board Version:
  - 1 x Video Port
  - 1 x VGA (12V Power)
  - 1 x USB DP
  - 1 x USB 2.0 Type B
  - 1 x DC-in 12V
  - 1 x Line-in



## Optional

- Smart DD/AD Board Version:
  - Compatible with XPOS Add-on device. (Supports Device on Right Side)



**Inter-Register Communication (M) Sdn. Bhd.** [ 198701004225 (162895-K) ]

34, Jalan Tanjung SD 13/1, Bdr Sri Damansara, 52200 Kuala Lumpur.

**Tel:** (6)03-6272 8000 (8 Line)

**Homepage:** [www.irc.com.my](http://www.irc.com.my)

**Sales Person:** (6) 019-337 4781 - Alex Wong

**E-mail:** [general@irc.com.my](mailto:general@irc.com.my)